
Reference Diagrams





INSTRUCTIONS FOR USE

```
TRANQUILITY basik UEF
TRANQUILITY BASE UEF
TRANQUILITY BASE XL UEF
```

Congratulations! You have within your possession a ground breaking device that will improve the performance of any component within your system. The world's first Active Isolation Base is engineered to eliminate distortion caused by EM fields inside your components.



READ THESE INSTRUCTIONS HEED ALL WARNINGS FOLLOW ALL INSTRUCTIONS



WARNING: Avoiding Electrical Shocks

Do not operate the Synergistic Research Tranquility Base if any kind of liquid has been deposited onto or near it. Do not store open liquid containers near or around the Synergistic Research Tranquility Base when it is in operation. Do not expose the Synergistic Research Tranquility Base to rain or other weather elements.

WARNING: Electrical Storm Precautions

During severe weather conditions such as electrical storms, perform the following procedures:

- 1. Turn off all of your electronic equipment, including the Tranquility Base.
- 2. Disconnect all of your electronic equipment from your power outlets, including the Tranquility Base.
- 3. Disconnect the Tranquility Base Mini Power Coupler (MPC) from your power outlet.
- 4. Do not reconnect your electronic equipment until the storm is well passed. If you can hear thunder, lightning and its potentially destructive effects are still nearby.

WARNING: No User Serviceable Parts Inside

Never attempt to open or disassemble your Synergistic Research Tranquility Base. This unit is factory sealed and cannot be opened. There are no user serviceable parts inside. For service inquiries, please contact Synergistic Research directly by calling (949) 476-0000 or via the contact form at www.SynergisticResearch.com.

WARNING: Electrical Grounding

The Synergistic Research Tranquility Base requires a properly grounded power outlet for optimal performance and safety. If you are not certain if your electrical configuration is properly grounded, have it inspected by a qualified electrician.



WARNING: To reduce the risk of electric shock do not attempt to open. No user-serviceable parts inside. Refer servicing to qualified service personnel.

